This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

(33) Priority Country:

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 88/03391 (51) International Patent Classification 4: (11) International Publication Number: A1 19 May 1988 (19.05.88) A61C 8/00 (43) International Publication Date:

KP, KR, LU (European patent), NL (European pa-PCT/SE87/00517 (21) International Application Number: tent), NO, RO, SE (European patent), SU, US. (22) International Filing Date: 5 November 1987 (05.11.87)

Published 8604757-8 With international search report. (31) Priority Application Number:

SE


In English translation (filed in Swedish). 6 November 1986 (06.11.86) (32) Priority Date:

(71)(72) Applicant and Inventor: LUNDGREN, Dan [SE/ SE]; Askims Kyrkväg 5, S-430 80 Hovås (SE).

(74) Agents: STRÖM, Tore et al.; Ström & Gulliksson AB, Postbox 4188, S-203 13 Malmö (SE).

(81) Designated States: AT (European patent), AU, BE (European patent), BG, BR, CH (European patent), DE (European patent), DK, FI, FR (European patent), GB (European patent), HU, IT (European patent), JP,

(54) Title: INTRAALVEOLAR IMPLANT



(57) Abstract

17

An implant for implantation into tooth alveoli, which comprises a root analogue (10) the external shape of which is substantially adapted to the shape of the root to be replaced by the root analogue in order that the root analogue when implanted in the tooth alveolus will be in agreement with the bone walls thereof.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

		•					
AΤ	Austria	FR	France	•	ML	Mali	
ΑU	Australia	GA	Gabon		MR	Mauritania	
BB	Barbados	GB	United Kingdom		MW	Malawi	
RE.	Beiginn	HU	Hungary	:	NL	Netherlands	
BG	Bukaria	П	Italy		NO	Norway	
BJ	Benin	æ	Japan'	•	RO	Romania	
BR	Brazil	KP	Democratic People's Republic		SD	Sudan	
Œ	Cantral African Republic		of Korea		SE	Sweden	
OG	Congo	KR:	Republic of Korea		SN	Senegal	
CH	Switzerland	· LI	Liechienstein		SU	Soviet Union	
CM	Cameroon	LX	Sri Lanka		170	Chad	
DE	Germany, Federal Republic of	LU	Luxemboure		TG	Togo	
DK	Denimark	MC	Monaco		US -	United States of America	
FI	Finland	MG	Madagascar		. ~		

25

30

35

٥

INTRAALVEOLAR IMPLANT

The present invention relates to an implant for implantation into tooth alveoli. It is previously well known that elements can be implanted by operation e.g. into jawbones so as to serve as permanent supports for artificial tooth crowns, tooth bridges, and tooth prostheses. In that case, prefabricated, often 10 cylindrical implants commonly are used, which can be provided with one or more surface layers most often of a sintered material, comprising small spheres which together with the cavities defined by the spheres form undercuts for the growth of surrounding tissue thereinto 15 and thus are considered to optimize the retention between the implant and the tissue. The cylindrical implants can also have threads, so-called screw implants, which can be implanted by means of surgical instruments and surgical technique which allow a very 20 accurate and careful boring and threading of the bone tissue involved.

The implant materials vary from ceramics of different kinds to metals. The implant system which is far most satisfactorily proved in the literature and has the longest follow-up time, is based on the utilization of a screw type titanium implant, developed by Prof. Per Ingvar Brånemark and his collaborators in Gothenburg. This implant system demonstrates very good long-term results and is used by routine in clinical work.

All implants available on the market are characterized in that jawbone must be removed to make room for the implant. Then, extra-alveolar implants are concerned, i.e. implants which necessitate that the

35

jawbone outside the tooth alveoli are utilized completely or partly. Usually, the implantations then can be made in such regions only where there are no alveoli, i.e. in toothless regions with completely healed alveoli (the complete healing of alveoli usually taking at least 9 to 12 months).

Trials have been made to insert cylindrical implants into alveolar regions having fresh alveoli, i.e. alveoli that are not completely healed. However, this is problematical, because the healing will be unsatisfactory with a tendency of formation of soft tissue between the implant surface and the surrounding bone tissue if the cylinder is too narrow, and cutting-away of too much surrounding bone tissue if the implant cylinder has a large diameter. In other words, it is difficult to obtain sufficient congruence between the individual, often oval and slightly curved alveolus and the standardized implant cylinders. As a consequence thereof there cannot always be obtained the surface contact between bone and implant (so-called osseous integration) as seems to be a prerequisite for a good long-term prognosis of the implant.

The purpose of the present invention is to provide an implant which can be implanted without utilizing the extra-alveolar region outside the walls of the tooth alveolus involved. As a consequence thereof no surgical intervention has to be made in the bone tissue surrounding the alveolus.

For the purpose mentioned the implant of the invention has obtained the characterizing features according to claim 1. This avoids discrepancy between the implant surface and the surrounding bone tissue (alveolar walls) and makes possible to optimize osseous integration (healing of the bone against the implant surface without intervening soft tissue). Since the

٠,١

5

10

15

20

25

30

35

4

Q

implant is made as a very accurate tooth root analogue, it can very easily be inserted into the alveolus immediately after the extraction (removal) of the tooth or tooth root involved and an optimal, stable fixation can immediately be obtained, which is very essential in order to obtain the osseous integration mentioned above. This is further secured by the alveolus being accurately checked and if necessary being scraped to be cleaned from root membrane residues.

Alveoli which are some hours to 2 to 3 weeks old, can also be utilized as well as alveoli which are 1 to 3 months old. It is also possible to replace teeth which have been knocked out, by this type of implant which can be produced in one hour or two and, depending on the circumstances, thus can be implanted on the same day or on a predetermined day. If the tooth root is missing, a cast is made of the alveolus after the contents thereof having been shovelled or scraped therefrom, and a copy of the cast is made of a suitable implant material.

The invention will be explained in more detail below, reference being made to the accompanying drawings in which

FIG. 1 is a vertical sectional view of an implanted root analogue before this has been provided with a build-up,

FIG. 2 is a view similar to that of FIG. 1 after the implanted root analogue having been provided with an artificial tooth crown, and FIG. 3 in a corresponding manner discloses another embodiment.

The implant indicated at 10 in the drawings, preferably consists of pure titanium, but it can also consist of a titanium alloy or another metal or ceramic, or it can be coated on the surface thereof with hydroxy apatite or another suitable material.

25

30

35

The implant can have undercuts 11 on the surface thereof for improved retention by growth of bone tissue 12 into the undercuts which, moreover, present an increased surface between the implant and the bone tissue. The undercuts can comprise knots, spheres (sintered metal) or cavities of other types or can comprise ribs which can be curved or can have acute, right, or obtuse angles. These surface variations preferably should be limited to include primarily the alveolar region but can extend somewhat above the bone alveolus so as to allow growth of the connective tissue 13 thereinto. This tissue is covered by epithelium 14 and together with the epithelium forms the soft tissue.

The unique shape of the implant (with the external contour accurately adapted to the wall of the alveolus involved) is obtained when the implant is made - e.g. of pure titanium - by a specific electroerosion technique. By using this technique the shape of the root analogue is varied in relation to the original root (or the alveolus) and is shaped e.g. in such a way that there is provided apically, in the lower portion of the root, such a volume that the root analogue presses slightly against the walls of the alveolus. By such adjusted overexpansion against the wall of the alveolus the primary fixation will be improved, which is essential for an undisturbed healing without growth of soft tissue 13, 14 inbetween the implant and the wall of the alveolus.

Furthermore, the implant can be provided in the cervical portion thereof (i.e. at the neck of the implant or root analogue) with a collar 15 which can consist of a titanium net or a titanium structure perforated in another manner, or of a net or perforated structure of another material, e.g. polytetrafluoro ethylene, which has been expanded and contains pores of

10

15

20

25

30

35

Q

7

a suitable size. The collar can also consist of polyester or another suitable tissue-consistent material such as polyurethane. Moreover, the collar can consist of a resorptive material, possibly combined with a non-resorptive material of the kinds referred to. The resorptive material e.g. can consist of polydioxanon. The collar is shaped such that it connects to the neck of the root analogue completely sealing against the neck, and forms a baffle between the soft tissue layer (connective tissue 13 and epithelium 14) and the bone tissue 12. As a consequence thereof bone deficiencies 16 associated with the alveolus will be covered by the collar 15 which by separating the bone tissue 12 from the connective tissue 13 stimulates cells from the bone tissue to migrate into the bone deficiency 16 and to fill such deficiency with bone tissue (cfr. FIG. 2) and thus improve the fixation of the root analogue to the bone.

Preferably, the implanted root analogue is shaped such that it can be implanted with complete mucous membrane coverage, i.e. the mucous membrane is sutured over the root analogue located in the alveolus. The suture is indicated at 14°. The root analogue has, therefore, in connection with the electroerosion been cut at the highest bone level in the alveolus by means of e.g. laser technique which provides a junction having an extraordinarily good fit. Furthermore, the analogue forms a threaded central hole 17.

When the analogue is to be implanted, it is provided with a cover screw 18 which is screwed into the threaded hole. This cover screw can also function as an attachment for the collar 15 which is intended to contribute to guidance of the bone tissue growth into bone deficiencies possibly existing around the alveolus.

When the healing has taken place for 3 weeks to 3

15

25

30

35

months, stage 2 of the operation is effected, which means that the cover screw 18 is uncovered by incision, the cover screw being removed and being replaced by a fastening screw 19 which connects a cut-off apertured spacer 20 which in turn is exactly adapted to or alternatively forms the core of the tooth crown 21 involved. The tooth crown preferably is made of acrylate. When a collar 15 which is not resorptive, has been implanted together with the root analogue, this collar possibly can be removed in connection with stage 2 of the operation, but it can also be left where it is.

The cover screw 18 mounted on the root analogue in connection with the implantation thereof can consist of the cover screw already used in the implant system introduced by Branemark. The end surface of the root analogue facing the cover screw, in this case is shaped as the end surface in said system, having a central threaded hole dimensioned as in this system. Then, components included in the Branemark implant system, such as cover screw, spacer, spacer screw, and fastening screw, can be used for connecting the tooth crown involved to the tooth analogue.

In a specific embodiment, the root analogue can be connected also to a coupling element (Swedish patent applications Nos. 8504274-5 and 8504275-2) located between the analogue and the tooth crown.

In a further embodiment, FIG. 3, the central threaded hole 17 of the root analogue can be a through hole and extend over the total length of the root analogue such that the spacer screw 22 can be screwed through the entire root analogue and can be screwed into jawbone located apically of the root analogue, by self-threading or via the use of a thread tap. In this manner, the connection of the root analogue to surrounding jawbone (osseous integration) will be

improved by corresponding healing-in of the apical portion of the spacer screw extra-alveolarly apically of the alveolus.


CLAIMS


- 1. Implant for implantation into tooth alveoli, c h a r a c t e r i z e d in that the implant comprises a root analogue (10) the external shape of which is substantially adapted to the shape of the root to be replaced by the root analogue in order that the root analogue when implanted into the tooth alveolus will agree with the bone walls thereof.
 - 2. Implant as in claim 1.
- of the root analogue (10) is exactly adapted to the wall of the alveolus involved.
- 3. Implant as in claim 1 or 2,
 c h a r a c t e r i z e d in that the implant consists
 of titanium, titanium alloy, or another metal, or ceramic.
 - 4. Implant as in claim 1 or 2, c h a r a c t e r i z e d in that the implant is coated on the surface thereof with hydroxy apatite or another suitable material.
 - 5. Implant as in any of claims 1 to 4, characterized in that the implant on the outside surface thereof forms undercut cavities.
- 6. Implant as in any of claims 1 to 5,

 25 characterized in that the cervical portion of the implant is provided with a perforated or porous collar (15).
 - 7. Implant as in any of claims 1 to 6, c h a r a c t e r i z e d in that the implant forms a central threaded hole (17).
 - 8. Implant as in claim 7, characterized in that the hole is a through hole.

30


20





SUBSTITUTE SHEET

Ą



INTERNATIONAL SEARCH REPORT

International Application No

PCT/SE87/00517

L total of S							
I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, Indicate all) 4 According to International Patent Classification (IPC) or to both National Classification and IPC							
	A 61 C 8/00						
A 61	····						
II. FIELD	II. FIELDS SEARCHED Minimum Documentation Searched 7						
Classic and							
Classification System				Classification Symbols			
IPC 4 A 61 C 8/00							
US C	:1	3	2: 10; 433: 172-176				
			Documentation Searched other to to the Extent that such Documents	han Minimum Documentation are included in the Fields Searched			
			FI classes as above	<u> </u>			
			DERED TO BE RELEVANT? Document, " with Indication, where app	mariete of the relevant passages 13	Relevant to Claim No. 13		
Category *	i CR	ation of	Document, " with inducation, where app	TOPINE, OF DIS TREET, PASSES			
x	EP,	Al,	_ ·	BIOLOGICAL SCIEN-	1-8		
			CES, INC) 16 June 1982				
	1	ę.	WO, 82/01989				
		•	US, 4536158		ĺ		
			US, 4547327		ĺ		
			CA, 1217366				
	ļ		AU, 561971				
x	DE	Δ1.	2 729 969 (MICHIEI	I, SILVANO, VESCO-	1-8		
46		,	VANA)	, 51201210, 14201			
			12 January 1978				
		&	FR, 2357233	•			
x	110	a	3 576 074 (SIDNEY	n GMIIIM At all	1-8		
^	05,	A,	27 April 1971	Di GRODI CC GI			
			_	_			
X	US,	A,	4 178 686 (RIESS e	et al)	1-8		
		£.	18 December 1979 LU, 79233		}		
		α	BE, 864402				
			NL, 7802816				
			FR, 2397827	/			
	<u> </u>		DE, 2733394		l		
			ed documents: 19 e general state of the art which is not	"T" later document published after to or priority date and not in confli- cited to understand the principle	a with the expection but		
CON	isldered to	be of p	articular relevance	invention			
Alin	"E" earlier document but published on or after the international filing date "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to						
whi	A Company which may the my devicte as ariantly claimed by Invalve an invantive SIED						
"O" doc	which is cited to establish the publication date of another citation or other specific reason (as apecified) "O" document referring to an oral disclosure, use, exhibition of other means, such combination being obvious to a person skilled						
"P" doc	other means "P" document published prior to the international filing date but						
	later than the priority date claimed an accument member of the sense patient member of						
IV. CERTIFICATION Date of the Actual Completion of the International Search Date of Mailing of this International Search							
	1988-01-26						
	International Searching Authority Signature of Authorities of Signature of Authorities of Signature of Authorities of Signature of Sign						
		•		Jack Ked	limd		
Swed	Swedish Patent Office // Jack HedlundS						

(ii. D QCU	MENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEE	
ategory *	Citation of Document, with indication, where appropriate; of the relevant passages	Referent to Claim No
	& JP; 54024488	•
ì	AU, 32965/78	
	RU, 32903/ fo	
	GB, 1586646	·
	CA, 1117797	·
	SE, 7801533	}
'	SE, 429001	}
•	CH, 638092	
•	AU, 511691	ļ, ·
	AU, 311091	
		1
		!
		•
		}
-		}
		ļ
		1
		1
		1
	i.	1.
		1
	•	
	·	İ
		ł
		1
. •		}
٠.		
		i ·
•		1
		1 .
		1
		1
		•
•		l
		·-
	•	